

NO.: A001R190905003002 Date: Sep 6, 2019 Page 1 of 5

Applicant: Renovator New Material(Xiamen)INC

Address: Rm 905, No.466 Xinglinwan Road, Jimei Xiamen China

Sample information:
Sample name: MT Paint

Issue date: Sep 6, 2019

Test Requested: As specified by the client, to edit Material Safety Data Sheet (MSDS) for the submitted sample.





Date: Sep 6, 2019 NO.: A001R190905003002 Page 2 of 5

### **Material Safety Data Sheet**

### Section 1 - Chemical Product and Company Identification

Product Name: MT Paint

Manufacture: Renovator New Material(Xiamen)INC

Address: Rm 905, No.466 Xinglinwan Road, Jimei Xiamen China

Emergency Telephone: 0592-7030097

Email: sales@poiu.com.cn

#### Section 2 - Hazards Identification

**GHS Hazard Categories:**None

Pictograms: None

**Hazard information:** 


The substance is harmful to the water environment, when leakage can not be discharged into the sewer or river.

**Invasion route:** Ingestion, eyes contact, skin contact.

Health hazards: Long-term skin contact, can cause skin irritation; Eyes contact can cause irritation; Ingestion can cause abdominal pain, discomfort.

### Section 3 - Composition/Information on Ingredient

Composition:



1	100	
Chemical Name	In % By Weight	CAS No.
Water-borne pure acrylic resin	40%	9003-01-4
Titanium dioxide	20%	13463-67-7
Kaolin	5%	1332-58-7
Heavy Calcium Powder	25%	471-34-1
Deionized water	10%	7732-18-5

### Section 4 - First Aid Measures

Skin contact: Remove contaminated clothes and rinse the skin with plenty of water and soap, clean the soiled clothes before

Eyes contact: Lifting the upper and lower eyelids, flush the eyes with plenty of water or saline water.

Inhalation: In normal situation, will not inhalation. Ingestion: Ingestion discomfort, get medical aid.



NO.: A001R190905003002 Date: Sep 6, 2019 Page 3 of 5

### Section 5 - Fire Fighting Measures

Danger characteristic: The product can burn after drying.

Fire-fighting method: The staff must equip with isolated breathing apparatus, wear clothes which can defense fire and toxic

gases. Put out the fire in the upwind direction. Remove the container to the open space as soon as possible.

Fire extinguishing agent: Foam, powder, CO2, Sandy clay.

#### Section 6 - Accidental Release Measures

**Emergency treatment:**Leakage of contaminated areas to evacuate personnel to safety, as far as possible to cut off sources of pollution..Small amount of divulgence: clean off.Collecte in a dry,clean,covered container and transferred to safe place; Massive divulgence: Recycle or transport to waste treatment place for handling.

### Section 7 - Handling and Storage

**Handling:** Supply with sufficient partial air exhaust. The operating staff must have received special training and abide by the operating regulations. It is advised that the staff wear appropriate personal protective equipment. Keep away from the fire source, heat source, no smoking in the work place. Take care when lifting and handling in case of damaging the package. Equip with relevant types and quantities of extinguishment instruments and device for divulgence handling.

**Storage:** Keep in sealed container, place in a cool dry place. The storage place should be equipped with devices for divulgence handling and suitable shelter materials.

### Section 8 - Exposure Controls, Personal Protection

#### Occupational exposure limit:

MAC(mg/m3):No information TWA(mg/m3):No information STEL(mg/m3):No information

**Engineering control:** The production process space is closed, need to strengthen the ventilation. Make sure that there is a wash and shower in the vicinity of the workplace. Set emergency evacuation routes.

**Respiratory Protection:** No protection in normal situation.

Eyes Protection: No protection in normal situation.

Body Protection: Wear work clothes.

Hands Protection: Wear protective gloves.

Other Protections: No smoking, dining and drinking water in the workplace. Keep good habit of hygiene.



NO.: A001R190905003002 Date: Sep 6, 2019 Page 4 of 5

### Section 9 - Physical and Chemical Properties

Appearance:Fluid

Colour:White Odour:Resin Flavor
PH:7~8 Boiling point/range:N/A

Melting point/range: N/A Flashpoint: N/A
Density: 1.38g/cm<sup>3</sup> Viscosity: N/A

Oxidising properties: N/A

Solubility in water: Insoluble in water

Vapour density: N/A

Partition coefficient(n-octanol / water): N/A

Ignition temperature: N/A

Evaporation rate:N/A UEL:N/A

### Section 10 - Stability and Reactivity

**Stability:** Stable under normal temperature and pressure **Distribution of Ban:** Strong oxidizing agent, strong acid

Conditions to Avoid: Flame

Hazardous Polymerization: None

Decomposition products: In normal condition of storage and use, hazardous decomposition products should not be produced.

### Section 11 - Toxicological Information

Acute Toxicity: No known significant effects or serious harm.

Sub-acute and Chronic Toxicity: No known significant effects or serious harm.

Irritation: No known significant effects or serious harm.

Sensitization: No known significant effects or serious harm.

Mutagenicity: No known significant effects or serious harm.

Carcinogenicity: No known significant effects or serious harm.

### Section 12 - Ecological Information

Ecological toxicity: None

Persistence and degradation: No information Potential bioaccumulation: No information

Migration in soil:No information
Other harmful effects:None



NO.: A001R190905003002 Date: Sep 6, 2019 Page 5 of 5

### Section 13 - Disposal Considerations

**Disposal method:** Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Disposal considerations: Choose to have certified disposal contractor.

### Section 14 - Transport Information

According to IATA DGR 60th (2019) for transportation. The product as a non restricted goods transport.

UN number:None

Risk classification: None

Land Transport ADR/RID: Not regulated for transport or dangerous goods.

Maritime Transport IMDG: Not regulated for transport or dangerous goods.

Air Transport IATA/ICAO: Not regulated for transport or dangerous goods.

Packaging Information: Packing according to customer requirements.

Transport Fashion: By sea . By air . By rail . By highway

**Transport Attentions:** No collapse or no damage during the course of transportation. Corresponding varieties and number of fire equipment and contingency processing equipment should be equipped during the course of transportation. Strictly prohibit put the goods together with oxidizer, acid, etc. for transport. During transport, the goods should prevent exposure, rain and high temperature. Keep away from fire.

### Section 15 - Regulatory Information

#### **Regulatory Information:**

ISO 11014-2009 Safety data sheet for chemical products - Content and order of sections.

Regulation (EC) No. 1272/2013 Classification, Labeling and Packaging of Substances and Mixtures.

《Dangerous Goods Regulation》

《International Maritime Dangerous Goods》

### Section 16 - Additional Information

The above information is based on the data of which we are aware and is believed to be correct as of the data hereof. Since this information may be applied under conditions beyond our control and with which may be unfamiliar and since data made available subsequent to the data hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.

\*\*\*End of MSDS\*\*\*